



# COOLANTS AND LUBRICANTS

**CMS**  
Industrial Equipment Company  
6112 N. Mesa St. #127, El Paso, TX 79912  
Ph: 1-866-566-0222



## Coolants and lubricants

---

The RUKO coolants and lubricants provide an outstanding separation and cooling effect. They generate a high surface quality and increase the service life of the tools, even with hard and brittle materials.

- Cutting pastes
- Cutting spray cans
- Universal cutting oil concentrate



## Cutting pastes

High performance cutting paste with outstanding separation and cooling effect. Increases tool life even with hard and brittle materials. High heat resistance ensures good lubrication and cooling even at high temperatures. Good adhesion improves lubrication.

For all standard metal working processes such as thread cutting, grinding, sawing, drilling, countersinking, deburring, turning, stamping and milling. Cutting spray including 360° valve!

	Article no.	
Cutting paste, 50 g	101 021	1
Cutting paste, 30 g	101 035	1



## Cutting spray cans

High performance cutting spray with outstanding separation and cooling effect. Increases tool life even with hard and brittle materials. High heat resistance ensures good lubrication and cooling even at high temperatures. Good adhesion improves lubrication.

For all standard metal working processes such as thread cutting, grinding, sawing, drilling, countersinking, deburring, turning, stamping and milling.

	Article no.	
Cutting spray, 50 ml	101 010	12
Cutting spray, 200 ml	101 025	12
Cutting spray, 400 ml	101 036	12



## Universal cutting oil concentrate

Excellent lubricating and cooling effect. Increases tool life by excellent lubricity, even at low concentration. Transparent solution does not stick, prevents corrosion, clear view of machine, workpiece and tool. Skin friendly, free of PCBs, formaldehyde, sulfur and sodium nitrite, organically stable, corresponds to TRGS 611.

For all conventional metal processing methods in unalloyed and alloyed steels, when thread-cutting, reaming, sawing, drilling, turning, milling and grinding. Boron and amine-free. Application concentration in water depending on work process: 5% - 15% cation concentration in water.

	Article no.	
Universal cutting oil concentrate, 1 L bottle	101 034	1
Universal cutting oil concentrate, 5 L canister	101 033	1

